

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Semax - 10mg

Tested for: Peptides PorFavor
PeptidesPorFavor.com

COA #: COA-2026-HIGS6N
Lot Number: PP-SEMAX10-0626-
Accession #: ACC-2026-3743
Labeled Content: 10mg

Method:
Analysis Date:
Appearance:
Sample Matrix:
Date Received:

Blend Purity & Quant (HPLC)
06/10/2026
Good
Lyophilized
06/02/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: MUKMBDYC

Identity	Peptide Purity	Fentanyl Free
Semax	98.88%	


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	98.88%	%	PASS
Net Peptide Content	Report Only	10.54	mg	N/A
Identity (HPLC-RTM)	Semax	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Semax 10mg - PP-SEMAX10-0626-

HPLC Chromatogram



Semax 10mg - PP-SEMAX10-0626-: UV Chromatogram

Notes & Methodology

- Date Tested: 06/10/2026. Methods: Blend Purity & Quant (HPLC).
- The sample was confirmed to be Semax by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
6/10/2026

COA #: COA-2026-HIGS6N
Access Code: MUKMBDYC
Verify: <portal.ils-lab.com/verify/LuC-JyU4Cabr5O6>
Issued: 6/10/2026